


QuantaGrid D51PL-4U

World Class Capacity
Storage Server



- Extreme Computing Performance
- Screw-less HDD Tray for Efficient Deployment
- Flexible and Versatile I/O Scalability
- Proprietary 7mm SSD for Fast Booting



The Highest Density Storage Server in the World

The storage server with the highest storage density in the world, QuantaGrid D51PL-4U, supports 102 3.5" HDDs (90 top accessed and 12 rear accessed 3.5" SATA/SAS HDD bays). Users get over 1PBs in a 4U space, which translates into getting 325% more space in comparison to legacy 4U front accessed storage servers

High Reliability and Serviceability

The D51PL-4U is a storage server which has great reliability, serviceability, and availability. Most parts of the D51PL-4U are hot-pluggable/swappable; such as its power supply, HDD/SSD, motherboard, and system cooling fans. Users would feel the ease of substituting a FRU part for the original one and the system. Most of the system boards and booting SSDs can easily be drawn with a simple latch, and replacement can be done bare handed. Support for redundant power supplies and dual system cooling fans, also reassure user operability even when a slight breakdown occurs. With innovative screw-less drive carriers, users also can easily install their HDD without any tools. This innovation in the D51PL-4U greatly reduces service time and maintenance complexity by 90% in comparison to systems with HDD trays which require tools and screws.

Fast Booting for Proprietary SSD

There are two 7mm SATA SSD bays for booting purposes. Installation of operating systems on these drives astonishingly enhances boot time. With this feature, users won't wait long and have their patience tested at long cycling loading screens.

High PCIe Expansion Flexibility

The D51PL-4U motherboard fully employs all the Broadwell PCIe lanes and rear coastlines. Users get 3 PCIe slot and 1 OCP slot to expand their applications and features. Additionally, users also can get 10Gbps plus bandwidth with one PCIe x16 OCP Mezz.(Or you can adopt 1G LOM solution if 10G plus bandwidth is not so required). Another PCIe x8 slot would be occupied by 1 SAS controller card to process the SAS signal and make the hardware RAID, which aids in the recognition of the 102 HDDs. The remaining two PCIe slots provide users lots of flexibility to expand their PCIe applications. Users can increase their LAN port or bandwidth, install a PCIe SSD card, or M.2 SSD card as the cache device to enhance their system's performance.

About QCT

Quanta Cloud Technology (QCT) is a global datacenter solution provider. We combine the efficiency of hyperscale hardware with infrastructure software from a diversity of industry leaders to solve next-generation datacenter design and operation challenges. QCT serves cloud service providers, telecoms and enterprises running public, hybrid and private clouds.

Product lines include hyper-converged and software-defined datacenter solutions as well as servers, storage, switches, integrated racks with a diverse ecosystem of hardware component and software partners. QCT designs, manufactures, integrates and services cutting edge offerings via its own global network. The parent of QCT is Quanta Computer, Inc., a Fortune Global 500 corporation.

QuantaGrid D51PL-4U



Found at: www.QCT.io/wheretobuy

United States

QCT LLC., Silicon Valley office
1010 Rincon Circle, San Jose, CA 95131
TOLL-FREE: 1-855-QCT-MUST
TEL: +1-510-270-6111
FAX: +1-510-270-6161
Support: +1-510-270-6216

China

云达科技, 北京办公室
(Quanta Cloud Technology)
北京市朝阳区东大桥路 12 号润诚中心 2 号楼
TEL: +86-10-5920-7600
FAX: +86-10-5981-7958

云达科技, 杭州办公室

(Quanta Cloud Technology)
浙江省杭州市西湖区古墩路浙商财富中心 4 号楼
303 室
TEL: +86-571-2819-8650

Japan

Quanta Cloud Technology Japan 株式会社
日本国東京都港区芝大門二丁目五番八号
牧田ビル 3 階
TEL: +81-3-5777-0818
FAX: +81-3-5777-0819

Taiwan

雲達科技 (Quanta Cloud Technology)
桃園市龜山區文化二路 211 號 1 樓
TEL: +886-3-286-0707
FAX: +886-3-327-0001

Germany

Quanta Cloud Technology Germany GmbH
Hamborner Str. 55, 40472 Düsseldorf
TEL: +49-2405-4083-1300

Other regions

Quanta Cloud Technology
No. 211 Wenhua 2nd Rd., Guishan Dist.,
Taoyuan City 33377, Taiwan
TEL: +886-3-327-2345
FAX: +886-3-397-4770

Processor	Processor Type: Intel® Xeon® processor E5-2600 v4 product family (up to 135W TDP) Max. TDP Support: 135W Processors: 2 Internal Interconnect: 6.4 / 8.0/ 9.6 GT/s L3 Cache: Up to 45MB
Chipset	Intel® C610
Memory	Total Slots: 16 Capacity: Up to 512GB RDIMM, Up to 1024GB LRDIMM Memory Type: 2133/2400 MHz DDR4 RDIMM/ LRDIMM Memory Size: 32GB, 16GB, 8GB RDIMM, 64GB LRDIMM
Form Factor	4U Rack Mount, 1 Node
Dimensions (WxHxD)	W x H x D (inch): 17.6 x 6.9 x 42 W x H x D (mm): 447 x 175.3 x 1066.8
Storage Controller	Onboard: Intel® 610: (10) SATA 6Gb/s ports; SATA RAID 0, 1, 10 Optional Controller: Quanta Broadcom® 3108 12Gb/s RAID mezzanine, RAID 0,1,5,6,10,50,60 Quanta Broadcom® 3008-IR 12Gb/s SAS mezzanine, RAID 0,1,10 Quanta Broadcom® 3008-IT 12Gb/s SAS mezzanine,
Expansion Slot	(1) PCIe Gen3 x8 riser slot 1 HHHH (1) OCP PCIe Gen3 x8 LAN Mezz (1) PCIe Gen3 x8 riser slot 2 HHHH or SAS Mezz (1) PCIe Gen3 x16 riser slot 3 FHHL
Storage	(102) 3.5" SAS/SATA HDD/SSD
Front I/O	(3) Expander console ports
Power Supply	(2) 86mm 1600W Redundant Power Supplies Platinum Level Certified
Fan	(4) 92mm n+1 rotor failed cooling fans
System Management	IPMI v2.0 Compliant, onboard "KVM over IP," Quanta System Manager (QSM)
Operating Environment	Operating temperature: 5°C to 35°C (41°F to 95°F) Non-operating temperature: -40°C to 65°C (-40°F to 149°F) Operating relative humidity: 50% to 85%RH Non-operating relative humidity: 20% to 90%RH
Weight	About 140kg (with 102* 3.5"HDD)
Network controller	LOM: (2) GbE ports Intel I350 LOM Optional NIC: Refer the CCL
Onboard Storage	(2) 2.5" hot-plug SSD (1) SATADOM
Video	Aspeed AST 2400 BMC, 8MB of DDR4 video memory
Rear I/O	(2) USB 3.0 ports (1) VGA port (2) RJ45 LAN ports (1) COM Port (1) RJ45 Management port
TPM	TPM 2.0/1.2, LPC

QCT authorized partner



All specifications and figures are subject to change without prior notice. Actual products may look different from the photos.

QCT, the QCT logo, Rackgo, Quanta, and the Quanta logo are trademarks or registered trademarks of Quanta Computer Inc.

All trademarks and logos are the properties of their respective holders.

Copyright © 2014-2017 Quanta Cloud Technology Inc. All rights reserved.



Intel Inside®
New Possibilities Outside.

Intel, the Intel logo, Xeon, and Xeon Inside are trademarks or registered trademarks of Intel Corporation in the U.S. and/or other countries.